


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVAL
1	-01 BASE PLATE ADDED MISSING HOLE DIMENSIONS.	9/13/10	WP	GE
1A	-01 ADDED MISSING HOLE Ø.500 DIMENSION, CH'D -09 FINISH FROM BLACK ANODIZE PER G.E.	3/9/12	RJC	GE





ASSY QTY	ASSY QTY	B/O	PART #	QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
			-01	1	BASE PLATE	1018	1/2 x 4 x 14-1/8	2
			-03	1	END PLATE	1018	3/4 x 1-1/2 x 4	3
			-05	1	ROUND END	1018	Ø 1-1/4 x 2-1/2	3
			-07	1	STOP	1018	3/4 x 1-1/8 x 4	3
MACH			-09	1	GUIDE PIN	PRECISION SHAFT	Ø 12mm x 200mm (FLAT LENGTH 5-5/8) MCMaster-CARR #1482K18	3
B/O			-11	2	ALIGNMENT PIN	STEEL	Ø 3/8 x 2-1/2 MCMaster-CARR #98381A634	1
B/O			-13	4	DOWEL PIN	STEEL	Ø 1/4 x 1/2 MCMaster-CARR #98381A537	1
B/O			-15	2	DOWEL PIN	STEEL	Ø 1/8 x 1/2 MCMaster-CARR #98381A471	1
B/O			-17	5	SOCKET HEAD CAP SCREW	Gr. 5, BLACK	3/8-16 UNC x 5/8 MCMaster-CARR #91251A621	1
B/O			-19	1	ROLL PIN	STEEL, BLACK	Ø 1/8 x 3/4 MCMaster-CARR #98296A881	1
B/O			-21	1	LANYARD	COATED STEEL	Ø 1/16 x 18 MCMaster-CARR #90312A560	1
B/O			-23	1	FERRULE	ALUMINUM	Ø 1/16 MCMaster-CARR #3896T31	1
B/O			-25	1	PHILLIPS MACHINE SCREW	PLATED STEEL	#10-24 x 3/8 MCMaster-CARR #9027A240	1
			-	-	-	-	-	
			-	-	-	-	-	
ASSY #								

NOTES
1. FOR USE ON THE EC120B MAIN ROTOR FREQUENCY ADAPTER, P/N 7050A3622044

RED BARN MACHINE	
FREQUENCY ADAPTER ADJUSTMENT TOOL	
DWG. NO. RBEC622G4001101	REV 1A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: PERRITT APPROVED HEAT TREAT FINISH SPEC BLACK OXIDE
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 12-4-09
SHEET 1 of 3	


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS					
REV	DESCRIPTION	DATE	INITIALS	APPROVED	
1	-01 BASE PLATE ADDED MISSING HOLE DIMENSIONS.	9/13/10	WP	GE	
1A	-01 ADDED MISSING HOLE Ø.500 DIMENSION PER G.E.	3/9/12	RJC	GE	





(-01)





BASE PLATE

 RED BARN MACHINE			
TITLE FREQUENCY ADAPTER ADJUSTMENT TOOL; BASE PLATE			
PWG. NO. RBEC622G4001101-01			PWG. 1A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: PERRITT	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1		APPROVED HEAT TREAT - FINISH BLACK OXIDE SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL EUROCOPTER EC120B	
SCALE N.T.S.	DATE 12-4-09	SHEET	2 of 3





This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.







(-03)
END BLOCK
BLACK OXIDE



(-07)
STOP
BLACK OXIDE



(-05)
END PIN
BLACK OXIDE



(-09)
GUIDE PIN
BLACK OXIDE



RED BARN MACHINE

TITLE FREQUENCY ADAPTER ADJUSTMENT
TOOL; PARTS

DWG. NO. RBEC622G4001101-03 thru 09 REV 1A

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ON:
DECIMALS .XXX ± .005
.XX ± .01
.X ± .1
FRACTIONS ± 1/32
ANGLES ± 5°
DRAWN BY: PERRITT
APPROVED:
HEAT TREAT: -
FINISH SPEC: BLACK OXIDE
USED ON MODEL: EUROCOPTER EC120B

UNLESS OTHERWISE SPECIFIED
1. BREAK ALL SHARP EDGES
015 x 45° PR .015 R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING
SCALE: NTS DATE: 12-4-09 SHEET: 3 of 3